


The background of the entire page is a grid of dots. Most dots are a dark grey color. A specific pattern of bright blue dots is arranged in a roughly rectangular shape in the upper-middle section of the page. The blue dots form a grid that is approximately 8 columns wide and 10 rows high, though some dots are missing, creating a sparse, abstract pattern. The text '2014 CATALOGUE' is centered in the lower half of the page, rendered in a light blue, bold, sans-serif font.

2014 CATALOGUE



VIDA GRAPHICS & SIGNS WAS ESTABLISHED IN NEW YORK. VIDA'S CREATIVE TEAM IS HERE TO BRING THE MOST ATTRACTIVE SIGNS AND BRILLIANT LED DISPLAY SOLUTION FOR YOUR NEEDS.

SATISFIED SERVICE

DEDICATED TO PROVIDE SUPERIOR PRODUCTS AND SERVICE, WE ARE CONSTANTLY UPDATING OURSELVES TO THE NEWEST PRODUCT AND TECHNOLOGY. OUR CUSTOMER-ORIENTED SERVICES MAKE THE BEST EFFORT TO ENSURE YOU GOT THE SIGN SOLUTION SUIT YOU BEST.

20 YEAR+ EXPERIENCES

OUR EXCEPTIONAL SIGN PROFESSIONALS KNOW WHAT YOU NEED. WE LOVE TO HELP INTERESTING PEOPLE TO ACHIEVE EXTRAORDINARY SIGN SOLUTIONS.

INDEX

ULTRA-THIN LIGHT BOX

(Crystal, Aluminum & Magnetic Series)

LED MODULE

LED LIGHTING

(LED Strips & LED Neon)

LED POWER SUPPLY

LED LINKED LETTER

CUSTOMIZED SIGNS

02-05

06-07

08-09

10


11

12-13

CRYSTAL SERIES

ULTRA-THIN SINGLE SIDE LIGHT BOX

- Lighted edge provide elegant lighting Ultra-thin depths from less than 1"
- Super bright LEDs
- High quality light-guide panel for even illumination
- Average life span of 50,000 hours
- Energy saving up to 90%
- Easy graphics change



EASY INSTALLATION WITH STAINLESS STEEL STANDOFFS



Crystal Single Side Ultra Thin LED Light Box Specification

* Available on hanging style

| Item | Frame Size (In) | Graphic Size(In) | Frame Color | Frame Width(In) | Watt (W) | Input | Net Weight (lbs) |
|--------|-----------------|------------------|-------------|-----------------|----------|-----------|------------------|
| VCA1 * | 27 x 37 | 24 x 34 | S | 1 | 36 | 12v | 18 |
| VCA2 * | 27 x 20 | 17 x 24 | S | 1 | 18 | 12v | 11 |
| VCA3 * | 15 1/2 x 20 | 12 x 17 | S | 1 | 12 | 12v | 3 |
| VCA4 | 11 x 14 1/2 | 10 x 13 | S | 1 | 9 | 12v | 2 |
| VCA5 | 20 x 8 | 17 x 5 1/2 | S | 1 | 9 | 12v | 3 |
| VCA6 | 6 x 8 | 5 x 7 | S/B | 1 | 6 | 12v | 1 |
| VCB1 | 48 x 96 | 42 x 90 | S | 1.5 | 150 | 12v / 24v | 90 |
| VCB2 | 48 x 72 | 42 x 66 | S | 1.5 | 120 | 12v | 72 |
| VCB3 | 36x120 | 33 x117 | S | 1.5 | 150 | 12v | 86 |
| VCB4 | 36 x 96 | 31 x 91 | B | 1.5 | 120 | 12v | 60 |
| VCB5 | 36 x 72 | 33 x 69 | S | 1.5 | 120 | 12v | 52 |
| VCB6 | 36 x 60 | 33 x 57 | S | 1.5 | 96 | 12v | 40 |
| VCB7 | 24 x 120 | 21 x 119 | S | 1.5 | 150 | 12v | 58 |
| VCB8 | 24 x 96 | 19 x 91 | B | 1.5 | 120 | 12v | 50 |
| VCB9 | 24 x 72 | 21 x 69 | S | 1.5 | 120 | 12v | 35 |
| VCB10 | 24 x 60 | 21 x 57 | S | 1.5 | 96 | 12v | 29 |
| VCC1 | 32x32 | 29x29 | S | 1.5 | 60 | 12v | 25 |
| VCC2 | 24x24 | 22x22 | S | 1.5 | 48 | 12v | 16 |
| VCC3 | 18x18 | 15x15 | S | 1.5 | 36 | 12v | 9 |

ALUMINUM SERIES


ULTRA-THIN SINGLE SIDE LIGHT BOX



- Aluminum frame providing elegant, exquisite looking.
- Four-sides snap opening, easy to change pictures.
- Ultra-thin depths from less than 1"
- Super bright LEDs
- High quality light-guide panel for even illumination
- Average life span 50,000 hours

MAGNETIC SERIES

ULTRA-THIN SINGLE SIDE LIGHT BOX



- Black aluminum alloy frame, elegant and exquisite
- Magnetic frame design, easier to change picture
- With high quality LED light source, safe, stable and longer service life

Single Side Aluminum Ultra Thin LED Light Box Specification

■ B - BLACK ■ S - SILVER

| Item | Frame Size (In) | Graphic Size(In) | Frame Color | Frame Width(In) | Watt (W) | Input | Net Weight (lbs) |
|------|-----------------|------------------|-------------|-----------------|----------|-------|------------------|
| VAL1 | 24 x120 | 21 x 117 | B/S | 1.5 | 120 | 12v | 38 |
| VAL2 | 24 x 96 | 21 x 93 | B/S | 1.5 | 120 | 12v | 32 |
| VAL3 | 34 x 34 | 31 x 31 | S | 1.5 | 48 | 12v | 20 |
| VAL4 | 24 x 24 | 21 x 21 | S | 1 | 48 | 12v | 12 |
| VAL5 | 36 x 16 | 34 x 14 | S | 1 | 36 | 12v | 9 |
| VAL6 | 36 x 10 | 34 x 8 | S | 1 | 36 | 12v | 5 |

Single Side Magnetic LED Light Box Specification

■ B - BLACK ■ S - SILVER


| Item | Frame Size (In) | Graphic Size(In) | Frame Color | Frame Width(In) | Watt (W) | Input | Net Weight (lbs) |
|------|-----------------|------------------|-------------|-----------------|----------|-------|------------------|
| VMG1 | 24 x72 | 21.5 x 69.5 | B | 1 | 96 | 12v | 32 |
| VMG2 | 24 x 60 | 21.5 x 57.5 | B | 1 | 72 | 12v | 25 |
| VMG3 | 27 x 20 | 24.5 x 17.5 | B/S | 1 | 18 | 12v | 9 |
| VMG4 | 6 x 8 | 5 x 7 | B/S | 1 | 6 | 12v | 1 |

LED MODULE

FLEXIBLE LED SOLUTIONS



TYPICAL APPLICATIONS



- Channel letter
- Commercial standing
- Letter background
- Light box
- Logo
- Line/shape



| | Item | Color | LED Type | Operating Voltage | Power(Watt) |
|-------------------|------------|-------|----------|-------------------|-------------|
| ECONOMIC SERIES | VF1275W3 | WHITE | 5050 | DC12V | 0.72W |
| | VF1275R | RED | 5050 | DC12V | 0.72W |
| | VF1275RGB3 | RGB | 5050 | DC12V | 0.72W |
| | VMAR120U | RED | 5050 | DC12V | 0.72W |
| | VMAC120U | WHITE | 5050 | DC12V | 0.72W |
| HIGH POWER SERIES | VF3232W4 | WHITE | 5050 | DC12V | 0.96W |
| | VF3232R4 | RED | 5050 | DC12V | 0.96W |
| | VF1275W3-B | WHITE | 5730 | DC12V | 1.2W |
| | VIEW220U | WHITE | 6030 | DC12V | 1.44W |
| | VIEW340U | WHITE | 3535 | DC12V | 1.2W |
| SPECIAL SERIES | VIAC324U | WHITE | 5050 | DC12V | 0.48W |
| | VIFW326U | WHITE | 3535 | DC12V | 1.44W |
| | VIHW332U | WHITE | 3535 | DC12V | 1.44W |
| | VIHW347B | WHITE | 3535 | DC12V | 2.8W |

| Beam Angel | Luminous/Foot | IP Rank | Dimension (mm) | Module/Foot |
|------------|---------------|---------|----------------|-------------|
| 120° | 80LM | IP65 | 12 X 75 | 2 |
| 120° | 120LM | IP65 | 12 X 75 | 2 |
| 120° | 80LM | IP65 | 12 X 75 | 2 |
| 120° | 120LM | IP67 | 12 X 75 | 2 |
| 120° | 120LM | IP67 | 12 X 75 | 2 |
| 120° | 180LM | IP65 | 32 X 32 | 3 |
| 120° | 240LM | IP65 | 32 X 32 | 3 |
| 120° | 120LM | IP65 | 12 X 75 | 2 |
| 120° | 240LM | IP67 | 15 X 77 | 2 |
| 120° | 200LM | IP67 | 35 X 40 | 2 |
| 150° | 120LM | IP67 | 15 X 41 | 3 |
| 160° | 100LM | IP67 | 35 X 40 | 1 |
| 160° | 120LM | IP67 | 36 X 43 | 1 |
| 56° | 160LM | IP67 | 36 X 43 | 1 |

LED STRIPS

FLEXIBLE LED SOLUTIONS



LED NEON

FLEXIBLE LED SOLUTIONS

CHARACTER

- 360 degree lighting, Mini, High Brightness
- Flexible, easy bend
- Jacket available: White/Red/Yellow/Orange/Blue/Green
- Lighting Color available: White/Warm White / Red/Yellow/Orange/Blue/Green
- Wattage available: 24V/120V

| | Product NO. | Color | Length/Roll | LEDs/Roll | Input Voltage | Max Watt | IP Rating |
|-----------------------|-------------|------------|-------------|-----------|---------------|----------|-----------|
| ECONOMIC | VS16 | W/R/B/Y/WW | 16 FT | 150/300 | DV12V | 36W/72W | 55/65 |
| SERIES | VRGB16 | RGB | 16 FT | 150/300 | DV12V | 36W/72W | 55/65 |
| HIGH POWER | VHS16 | W/WW | 16 FT | 150/300 | DV12V | 36W/72W | 55/65 |
| SERIES | VHRGB16 | RGB | 16 FT | 150/300 | DV12V | 36W/72W | 55/65 |
| RUNNING SERIES | VR16 | RGB | 16 FT | 150/300 | DV12V | 36W/72W | 55/65 |
| OUTDOOR SERIES | VO165 | RGB | 165 FT | 3000 | DV110V | 720W | 67 |

Color: W-white / WW- warm white / R-red / B-blue / Y- yellow



MINI



HIGH POWER



ROUND



5050 FLEXIBLE LED STRIPS

Water Proof. 16 Feet with
Power Adapter & Remote Control

5050 165 FT LED STRIPS

- Super Bright 5050 LED
- High Density 3000 LED
- 165 feet Per Roll
- 110v input



| Item | Voltage | Jacket Color | LED Color | LED/Meter | Max load length |
|--------------------------|---------|---------------|------------------|-----------|-----------------|
| STANDARD SERIES | 24V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 90 | 25M-30M |
| | 120V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 90 | 50M-70M |
| MINI SERIES | 24V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 80 | 50M-60M |
| | 120V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 80 | 20M-30M |
| HIGH POWER SERIES | 24V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 216 | 20M |
| | 120V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 216 | 10M-13M |
| ROUND SERIES | 24V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 90 | 20M-30M |
| | 120V | W/R/Y/O/B/L/G | R/Y/O/B/G/W/WW/P | 90 | 50M-60M |

Color: W-white / WW- warm white / R-red / B-blue / Y- yellow / G-green / O- orange

LED POWER SUPPLY

OUTDOOR SERIES (IP 67)




FEATURES

- Universal AC input (uo to 305 VAC) / full range Protections: Short circuit / over current / over voltage / over temperature
- IP67 design for indoor or outdoor installations
- Cooling by free air convection
- Suitable for dry, damp and wet location

LED LINKED LETTER

CREATE YOUR INSTANT LED LETTER SIGN




TECHNOLOGY

A revolutionary invention which brings you unlimited possibility to create and re-arrange instantly any signs, messages, greetings, names, telephone numbers and prices by just plug in and turn it on.

Connectible and Interchangeable LED Letters, creative and unique connection design.

| Item | Input | Output | Watt | Effi. | Weight | Dimension(in) |
|---------------|----------|---------------------|------|-------|--------|-----------------|
| F-120-12 | 100-240V | 50/60HZ 12VDC 10A | 120W | 85% | 2LB | 8 x 3 x 1.75 |
| F-150-12X | 100-240V | 50/60HZ 12VDC 12.5A | 150W | 85% | 3LB | 9 x 3 x 1.75 |
| F-200-12A | 100-240V | 50/60HZ 12VDC 16.5A | 200W | 85% | 3.5LB | 9 x 3 x 2 |
| CV1206T | 100-240V | 50/60HZ 12VDC 5A | 60W | 90% | 2LB | 8 x 1.75 x 1.75 |
| CV1220W | 100-240V | 50/60HZ 12VDC 16.5A | 200W | 90% | 4 LB | 9 x 2.75 x 1.75 |
| JLV-12030KA-U | 100-240V | 50/60HZ 12VDC 2.5A | 30W | 90% | 0.7LB | 8 x 1.5 x 1 |
| JLV-12045KA-U | 100-240V | 50/60HZ 12VDC 3.75A | 45W | 90% | 0.8LB | 6.3 x 2 x 1 |
| JLV-12100KA-U | 100-250V | 50/60HZ 12VDC 8.3A | 100W | 90% | 2 LB | 8 x 3 x 1.75 |



Magic letters can be used in many different places and occasions, any place indoor.

Pick up the letters you need to create any your LED-link signs.

All our products come with easy DIY installation and maintenance instructions

CUSTOMIZED SIGNAGE

MAKE THE IMPACT



1. Stainless Steel Back-lit Letter
2. Stainless Steel Front-lit & Back-lit Letter
3. Stainless Steel Back-lit with Acrylic Backing Letter
4. Acrylic Side-lit Letter
5. Acrylic Front-lit & Side-lit Letter
6. Acrylic Side-lit Letter with Color Face
7. Front-lit Exposed LED Letter



VIDA GRAPHICS & SIGNS ARE SPECIALIZED IN:

- Channel Letters
- Digital Printing
- Light-box
- LED Light-box
- Dimensional Letters
- Banner
- Awnings
- Decorative Panels
- Neon
- LED Lighting
- LED Displays
- Vinyl Decals
- Vehicle Wrap
- Flags
- Menu Board

PLEASE CALL FOR
FREE QUOTE

+1 .212.388.9388
OR EMAIL: VIDASIGNS@GMAIL.COM



212.388.9388 | 718.303.3808

25 Canal Street, New York, NY 10002

VIDASIGNS@GMAIL.COM | WWW.VIDASIGNS.COM

All statement, technical information and recommendations about our products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All products are sold with the understanding that Purchaser has independently determined the suitability of such products for intended and other purposes.